PRACTICE PROBLEM SET #1

CSC 261/461 (Database Systems), Spring 2018, University of Rochester

Problem 1: Set Operations

Relation R				
A	В	C	D	
4	3	2	1	
1	4	6	10	
11	12	4	9	
6	11	9	34	
8	3	11	12	

Relation S			
A	В	С	D
13	9	10	2
10	11	14	19
1	4	6	10
6	11	9	34

Suppose we have the two tables (or relations) R and S: instances of these relations are shown above.

- a) What is the union of R and $S(R \cup S)$?
- b) What is the intersection of R and $S(R \cap S)$?
- c) What is their Cartesian product $(R \times S)$?

Note: We will cover union and intersection on Monday

Problem 2: Relational Database and Schema

Refer Table 1. The Product table (or relation) stores the manufacturer and model number (primary key). The PC table contains a subset of the model numbers provided in the Product table. For each model number, the speed (of the processor, in megahertz), the amount of RAM (in megabytes), the speed and type of the removable disk (CD or DVD), and the price is provided. The Printer relation records another set of models, and stores whether the printer produces color output (true/false)), the process type (laser, ink-jet, or bubble), and the price.

Write down the **schema** for these three relations.

Problem 3: Structured Query Language (SQL)

For the relations *PC*, *Printer* and *Product* write SQL query for the following questions:

- 1. Create tables for these relations. Identify the primary key and foreign keys for each table.
- 2. Populate these tables with the data provided (insertion)

PS # 1 Page 1 / 3

Table 1: Tables (Product, PC and Printer)

Sample data for relation <i>Product</i>		
manufacturer	model	
HP	1001	
Canon	1002	
Toshiba	2005	
HP	2006	
Microsoft	2007	
Canon	2008	
Apple	2009	
Sony	3001	
Sony	3002	
Nokia	3003	
Sony	3004	
Toshiba	3005	
HP	3006	
Camon	3007	

Sample data for relation PC				
model	speed	ram	rd	price
1001	700	64	48xCD	799
1002	1500	128	12xDVD	2499
2005	600	64	12xDVD	2399
2006	800	96	15xCD	2999
2007	850	128	40xDVD	3099
2008	600	64	12xCD	1249
2009	750	256	13xDVD	2599

Sample data for relation Printer			
model	color	type	price
3001	true	ink-jet	231
3002	true	ink-jet	267
3003	false	laser	390
3004	true	ink-jet	439
3005	true	bubble	200
3006	true	laser	1999
3007	false	laser	350

- 3. Find out all the PC models which have a speed of at least 800?
- 4. Find the model numbers of all color laser printers.
- 5. Find the model number and price of all printers made by manufacturer Canon.
- 6. Find all manufacturers producing printers that cost more than \$1000
- 7. List all the Computers with DVD player in ascending order. those pairs of PC models that have both the same speed
- 8. Find all the distinct manufacturers that produces both, computers worth less than \$1000 and More than \$2000
- 9. Update the price of all PC by \$100
- 10. Delete all black & white printers

Problem 4: Table Relationship

```
This schema is same as the one used during class.
```

```
Product (pname, price, category, manufacturer)
Company (cname, stockPrice, country)
```

In the product table, foreign key **manufacturer** refers to **cname**. Find all categories of products that are made in China.

PS # 1 Page 2 / 3

Problem 5: Create Table based on Table Info

SQLite (we are using for Jupyter notebook) supports a nifty command:

pragma table_info(tablename);

The equivalent in MySQL is:

DESCRIBE tablename;

This produces all the related info of a table. The following table is retrieved from the command:

pragma table_info(Product);

Write a sql command to create table Product based on this metainfo.

Note: Give attention to default values, NOT NULL, primary key and datatype

cid	name	type	notnull	dflt_value	pk
0	pname	varchar(20)	0	None	1
1	price	money	0	None	0
2	category	varchar	0	None	0
3	manufacturer	varchar	1	None	0
4	rating	float	0	3	0

PS # 1 Page 3 / 3