1 Schedule

Problem sessions:

The homework is **due Nov 19**. The **QUIZ** will be on **Tuesday, Nov. 24**.

2 List of algorithms covered in the class

(B-basic, I-intermediate, A-advanced):

- I: Gaussian elimination (p. 219, DSV).
- I: Computing the dual of a linear program (p. 206, DSV).
- A: The simplex algorithm (p. 213, DSV).
- B: Zero-sum games using linear programming (p. 208, DSV).
- A: Max-flow using linear programming (p. 198, DSV).

3 Basic material

Important concepts, problems, theorems, and algorithms:

- system of linear equations, rank of a matrix,
- linear program, dual linear program,
- basic matrix notation.

Testing method:

- Solve a small linear program (2-3 variables).
- Solve a system of equations using Gaussian elimination (up to 4 variables).
- Given a system of equations, write it in a matrix form.
- Compute rank of a matrix.
- Solve a zero-sum game.

Example problems:

5.1~(due~Nov~19) Solve the following linear program:

$$\max x_1 + x_2$$
$$x_1 + 2x_2 \le 3$$
$$3x_1 + x_2 \le 4$$
$$x_1 \ge 0$$
$$x_2 \ge 0$$

5.2 (due Nov 19) Compute the rank of the following two matrices

Does the system 2x + 4y + 9z = 3, x - 3y + 5z = -1, 10y - z = 5 have a solution?

5.3 (due Nov 19) Compute the value of the zero-sum two person game given by the following payoff matrix:

$$\left(\begin{array}{rrr}2&4\\1&3\\4&2\end{array}\right)$$

5.4 Krusty the Clown purchased a new super-efficient SUV with two engines. The first engine runs on a 2:1 mixture of gasoline and ethanol and gets 12 mpg. The second engine runs on a 1:2 mixture of gasoline and ethanol and gets 22 mpg. Krusty has 12 gallons of gasoline and 14 gallons of ethanol. How far can he get?

(a) Write a linear program for the problem. You are allowed to have only two variables in your linear program.

(b) Solve the linear program (you do not need to use the simplex method).

(c) Write down the dual of your linear program from part (a).

(d) Solve the dual program (you do not need to use the simplex method).

m

4 Additional <u>homework</u>

5.5 (due Nov 19) Solve the following linear program:

$$ax \sum_{i=1}^{9} x_i,$$

$$x_1 + x_2 \le 1,$$

$$x_2 + x_3 \le 1,$$

$$x_3 + x_4 \le 1,$$

$$x_4 + x_5 \le 1,$$

$$x_5 + x_6 \le 1,$$

$$x_6 + x_7 \le 1,$$

$$x_7 + x_8 \le 1,$$

$$x_8 + x_9 \le 1,$$

$$x_9 + x_1 \le 1,$$

$$x_i \ge 0, i = 1, \dots, 9.$$

Use a linear programming solver to obtain the solution (for example you can use freeware lpsolve or function Maximize in MATHEMATICA (installed in most labs)).

5.6 (due Nov 19) There are *n* bottles which contain different mixtures of three chemicals called A, B, C. The *i*-th bottle contains the chemicals in ratio $a_i : b_i : c_i$ (thus, $a_i/(a_i + b_i + c_i)$ fraction of the *i*-th bottle is chemical A, $b_i/(a_i + b_i + c_i)$ fraction of the *i*-th bottle is chemical B, and $c_i/(a_i + b_i + c_i)$ fraction of the *i*-th bottle is chemical C). We want to know whether it is possible to obtain a mixture containing the chemicals A, B, C in ratio a : b : c by mixing various amounts from the bottles. Give an efficient algorithm for this problem.

For example, if the input is n = 2, the ratios in the bottles are 1:1:2 and 3:3:1, and we want to obtain mixture with ratio 1:1:1 then the answer is YES (we can take 2 parts from the first bottle and 1 part from the second bottle).

5.7 (due Nov 19) Construct the linear program dual to the following linear program:

$$\max x_1 + 2x_2 + 3x_3 + 4x_4$$

$$x_2 + x_3 + x_4 \le 1$$

$$x_1 + x_3 + x_4 \le 2$$

$$x_1 + x_2 + x_4 \le 3$$

$$x_1 + x_2 + x_3 \le 4$$

$$x_1 \ge 0, x_2 \ge 0, x_3 \ge 0, x_4 \ge 0.$$

Find the optimal solution of the primal and the dual problem. Use a linear programming solver to obtain the solutions.

5 Additional problems from the book (do not turn in)

Try to solve the following problems. A few of them <u>will be</u> on the quiz. We will go over the ones that you choose in the problem sessions.

• 7.1, 7.2, 7.3, 7.4, 7.7, 7.8, 7.11, 7.12, 7.13, 7.15, 7.19, 7.27.