# Exploring Logo on a Turtle Robot Part II: Conditionals


Sreepathi Pai sree@cs.rochester.edu

Department of Computer Science
University of Rochester

## **New Link**

https://bit.ly/rocturtle24

## Turtle Robot



Left IR Detector (Input)

Left IR Emitter/LED (Output)

Left Green LED (Output)

Button (Input)


## Conditions

- A condition is a formula that is either false (0) or true (not 0)
- 3 < 5
- 100 > 50
- 3 = 3
- 3 <> 4


## **BUTTONP**

- Returns True if button is pressed
- On computer
  - If mouse button is pressed
- On robot
  - If button is pressed

## The UNTIL Command




## **UNTIL Example**




#### **SHOW**

- SHOW is a command to show a value
- SHOW 5
- SHOW BUTTONP

## Detecting An Obstacle





#### **EMITTER**

- EMITTER turns on the infra-red LEDs
- MAKE 'EMITTER TRUE
  - Will turn both the infra-red LEDs on
- MAKE 'EMITTER FALSE
  - Will turn both the infra-red LEDs off
- Shows up as the blue circle in the browser


#### At the walls

- MAKE 'EMITTER TRUE
- SHOW LEFTSENSOR
- FD 400
- SHOW LEFTSENSOR

#### LEFTSENSOR and RIGHTSENSOR

- LEFTSENSOR returns the light detected from the infra-red LED on the left side of the robot
  - It is a high value if no infra-red light is being detected
  - It is a low value if infra-red light is being detected
- Likewise for RIGHTSENSOR

## What will this program do?



## Putting all the pieces together

```
MAKE 'EMITTER TRUE
UNTIL BUTTONP [ FD 10
    UNTIL LEFTSENSOR > 5000 [ RT 5 ]
    UNTIL RIGHTSENSOR > 5000 [ LT 5 ]

MAKE 'EMITTER FALSE
```

## Survey

